

containers, surrounding equipment and structures with water.

NATIONAL FIRE PROTECTION ASSOCIATION RATING

KEY	FIRE
4 = Extreme	1
3 = High	HEALTH
2 = Moderate	1
1 = Slight	REACTIVITY
0 = Minimum	0

SECTION V - PHYSICAL HAZARDS

Stability: Stable

Incompatibility (Materials to avoid): Do not expose to pure oxygen. This could form an explosive mixture.

Hazardous Decomposition Products: Carbon monoxide and unidentified organic compounds may be formed during combustion.

Hazardous Polymerization: Will not occur

SECTION VI - HEALTH HAZARDS

Threshold Limit Value: 5 mg/m³

Carcinogen: NTP: No IARC: No OSHA: No

Signs and Symptoms of Overexposure:

Acute: Mild skin, eye, and lung irritation
Chronic: Mild skin, eye, and lung irritation

Medical Conditions Generally Aggravated by exposure: Respiratory irritation

OSHA Permissible Exposure Limits: 5 mg/m³

ACGIH Threshold Limit Value: 5 mg/m³

Emergency and First Aid Procedures:

Inhalation: Remove victim to fresh air and provide oxygen if breathing is difficult. Get Medical attention.

- Eyes:** Flush with water for 15 minutes while holding eyelids open. Get medical attention.
- Skin:** Remove contaminated clothing and wipe excess off. Wash with soap and water or to waterless hand cleaner, followed by soap and water. Do not reuse clothing until cleaned.
- Ingestion:** Do not induce vomiting. In general, no treatment is required unless large quantities are ingested. Get medical attention.

SECTION VII - SPECIAL PROTECTION INFORMATION

- Respiratory Protection:** Use NIOSH approved respirator for overexposure.
- Ventilation:** Yes, Mechanical as described in ACGIH Industrial Ventilation Manual.
- Protective Gloves:** Yes **Eye Protection:** Safety Glasses
- Other Protective Clothing or Equipment:** Minimize Skin contact.

SECTION VIII - SPECIAL PRECAUTIONS

- Handling and Storage:** Minimize skin contact. Wash with soap and water before eating, drinking, smoking, or using the toilet facilities. Launder contaminated clothing only after proper decontamination.
- Other Precautions:** May burn although not readily ignitable.
- Steps to take in case of spill:** Wear appropriate protective equipment. Shut off source of leak, if safe to do so. Dike and contain. Remove with vacuum truck or pump to storage vessels. Soak up residue with absorbent. Dispose of waste at an appropriate disposal facility in compliance with Federal and local regulations. This product is an oil under the Clean Water Act. Keep out of surface waters and any water courses or sewers entering or leading to surface waters.

The information and recommendations contained in this MSDS are, to the best of EPS Operations knowledge and belief, accurate and reliable as of the date issued. EPS Operations shall not be liable for any loss or damage arising out of the use thereof.

The information and recommendation offered for the user's consideration and examination, and it is the user's responsibility to satisfy itself that they are suitable and complete for its particular use.